REPORT DOCUMENTATION PAGE

AFRL-SR-BL-TR-98-

0635

La charka is for 1914 er nathr TA 1931				ue ish hathir 0.0.2050:
1 AGENCY USE ONLY (Leave Dia	DE 12. REPORT DATE	3 REPORT TYPE A		
		FINAL 01		To 31 May 98 DING NUMBERS
4. TITLE AND SUBTITLE	MATTON OF MOTION C	OUDIED CIUSTED	5 FUND	
EXTENSIONS OF THE EQUATION-OF-MOTION COUPLED CLUSTER METHOD FOR EXCITED STATES			,	F49620-95-1-0421
METHOD FOR ENGITED I	,1111110		1	61103D
6. AUTHOR(S)			4	3484/YS
Steven R. Gwaltney &	Dr Rodney J. Bart	lett		3 (3 (, 22
beeven in enalessey	,			
7. PERFORMING ORGANIZATION N	AME(S) AND ADDRESS(ES)		E. PERF	ORMING ORGANIZATION
University of Florida				RT NUMBER
PO Box 118435				
Gainesville FL 326	.1-8435			
S. SPONSORING MONITORING AG	ENCY NAME(S) AND ADDRE	SS(FS)	10 SPO	SORING MONITORING
AFOSR/NL				NOT REPORT NUMBER
110 Duncan Ave Room	B115	·		
Bolling AFB DC 20332-8050				
	:			
Dr Michael R. Berman	1			
11. SUPPLEMENTARY NOTES				
12E. DISTRIBUTION AVAILABILITY	STATEMENT		12t. Di5	TRIBUTION CODE
approved for public release;			!	
. Aberibution unl	.imited.		į	
13. ABSTRACT (Maximum 200 word			. /	
The Partitioned Equa	tion-of-Motion Cou	pled-Cluster metho	d (P-EO	M-CC)l for excited
states is presented Also presented are a	and analytical ene	ergies for the meth	od are o	arrived and tested.
of-MOTION Coupled-C	Halytical delivati	M-CC)2. One of th	e paper	s that appeared in
print was a sTEOM-CO	CSD study of the ex	cited states of th	is pare	nt molecule for
many biologically an	nd potentially indu	strially significa	nt comp	ounds. The other
paper that was prepa	ired and that appea	red in the last ye	ar was	a study of hydrogen
bonding and proton	iffinity in the fir	st excited state o	it forma.	ldehyde4. Studies
of such properties a studies of these pro				
studies of these pro	percies in excited	states have been	CACICHO	ry rare.
·				
1		٠.		
•				
		,		
14. SUBJECT TERMS				15. NUMBER OF PAGES
		DIM COLLEGE ME	Luizio 1	16. PRICE CODE
	18. SECURITY CLASSIFICATION		FICATION	20. LIMITATION OF ABSTRACT
OF REPORT	OF THIS PAGE	OF ABSTRACT	II)	(UL)

A TOTAL DUCAON UNLIMITED COMPANY

AIR FORCE OF SCIENTIFIC RESEARCH (AFSC)

This technical approved for Scientific RESEARCH (AFSC)

Distribution and Scientific Research (AFSC)

STINFO Program Manager

AFR 190-12

Final Report for AFOSR AASERT F49620-95-I-0421

(Parent Award F49620-92-J-0141)

EXTENSIONS OF THE EQUATION-OF-MOTION COUPLED-CLUSTER METHOD FOR EXCITED STATES

Steven R. Gwaltney and Dr. Rodney J. Bartlett, PI

Quantum Theory Project University of Florida PO Box 118435 Gainesville FL 32611-8435 In the final year of my AFOSR AASERT grant number F49620-95-I-0421, several important milestones were achieved, the most important of which was graduation. I was awarded my Ph.D. in December of 1997. My dissertation is entitled *Coupled-Cluster Based Methods for Excited State Energies and Gradients*. In it, the Partitioned Equation-of-Motion Coupled-Cluster method (P-EOM-CC)¹ for excited states is presented and analytical energies for the method are derived and tested. Also presented are analytical derivatives for the Similarity Transformed Equation-of-Motion Coupled-Cluster method (STEOM-CC).² Several example applications are also included.

The last year also saw the publication of one journal article, the submission, and appearance of two articles, the submission of a fourth article, and the preparation of a fifth manuscript. One of the papers that appeared in print was a STEOM-CCSD study of the excited states of free base porphin.³ This is the most complete and highest quality study to date of the excited states of this parent molecule for many biologically and potentially industrially significant compounds. The assignment for the excited states of free base porphin is still a major area of debate, and this paper serves to help elucidate some of these questions.

The other paper that was prepared and that appeared in the last year was a study of hydrogen bonding and proton affinity in the first excited state of formaldehyde. Studies of such properties are common in the electronic ground state of molecules, but studies of these properties in excited states have been extremely rare.

The manuscript which was submitted but which has not yet appeared in press presents gradients for P-EOM-MBPT(2)—the P-EOM-CC method for excited states applied on top of a MBPT(2) ground state. Without analytical derivatives, it is possible to calculate only the energy of the excited state at a given geometry. Analytical derivatives allow routine calculation of geometrical gradients, which make possible potential energy surface searches for minima and transition states.

One more manuscript has been prepared. It presents formulas for analytical energy derivatives for the STEOM-CCSD method. No implementation is presented; however, this is the most complicated coupled-cluster based method for which analytical derivatives have ever been derived.

In total, seven journal articles came out of the three years of the AFOSR AASERT grant. They are listed below.

- S. R. Gwaltney, M. Nooijen, and R. J. Bartlett, "Simplified Methods for Equation-of-Motion Coupled-Cluster Excited State Calculations," Chem. Phys. Lett. 248, 189 (1996).
- 2. J. D. Watts, S. R. Gwaltney, and R. J. Bartlett, "Coupled-Cluster Calculations of the Excitation Energies of Ethylene, Butadiene, and Cyclopentadiene," **105**, 6979 (1996).
- 3. R. R. Sadeghi, S. R. Gwaltney, J. L. Krause, R. T. Skodjie, and P. M. Weber, "Structure and Dynamics of the S₃ State of CS₂," J. Chem. Phys. **107**, 6570 (1997).

- 4. S. R. Gwaltney and R. J. Bartlett, "Coupled-Cluster Calculations of the Electronic Excitation Spectrum of Free Base Porphin in a Polarized Basis," J. Chem. Phys. **108**, 6790 (1998).
- 5. J. E. Del Bene, S. R. Gwaltney, and R. J. Bartlett, "Base Properties of H_2CO in the Excited $^1n \rightarrow \pi^*$ State," J. Phys. Chem. A **102**, 5124 (1998).
- 6. S. R. Gwaltney and R. J. Bartlett, "Gradients for the Partitioned Equation-of-Motion MBPT(2) Method," J. Chem. Phys. (submitted).
- 7. S. R. Gwaltney, R. J. Bartlett, and M. Nooijen, "Gradients for the Similarity Transformed Equation-of-Motion Coupled-Cluster Method," (manuscript in preparation).

In addition, I gave eight poster presentations at conferences, including one at the HEDM Contractors' Conference in June of 1997.

Finally, I would like to personally thank the Air Force Office of Scientific Research and the managers of the High Energy Density Matter (HEDM) program. With this generous grant much good science was accomplished. The benefits to me from the grant are obvious, including greatly facilitating the completion of my Ph.D. in Chemistry. However, the Air Force has also benefited. For example, the computational techniques developed under this grant have been used, and continue to be used, to study chemical properties such as possible synthesis routes for high energy density molecules. In addition, these tools can help to better understand the relation between the stability of potential propellants and the electronic excited state energetics and structures of the constituent molecules.

HONORS/AWARDS

Dr. Bartlett is a Fellow of the International Academy of Quantum Molecular Sciences, Fellow, 1991, the American Physical Society, Fellow, 1989, and a Guggenheim Fellow, 1986. He was an NSF Postdoctoral Fellow (1971) and an IBM Predoctoral Fellow (1969). He has recently been awarded a University of Florida Research Foundation Professorship (Three-year award, 1997-2000).

¹ S. R. Gwaltney, M. Nooijen, and R. J. Bartlett, Chem. Phys. Lett. 248, 189 (1996).

² M. Nooijen and R. J. Bartlett, J. Chem. Phys. **106**, 6441 (1997).

³ S. R. Gwaltney and R. J. Bartlett, J. Chem. Phys. 108, 6790 (1998).

⁴ J. E. Del Bene, S. R. Gwaltney, and R. J. Bartlett, J. Phys. Chem. A 102, 5124 (1998).